

Referred by

Name: _____

Contact info: _____

Patient details

Name _____

Birthdate (YYYY/MM/DD): _____

Address: _____

Postcode: _____ Country: _____

Email: _____

Tel: _____ Fax: _____

Clinical history _____

NOTE: PATIENT SHOULD NOT BE TAKING STEROIDS OR SUFFERING FROM WIDESPREAD SYSTEMIC INFECTION (EG STAPH)

Payment Results cannot be released until payment is received. Please pay by bank transfer, paypal or cheque

Instructions for sample taking

Please use the following number of 9 ml tubes containing sodium citrate for testing:

- For 1-3 metals use 2 tubes • For 4-5 metals use 3 tubes
- For 6-10 metals use 4 tubes • For 11-20 metals use 6 tubes

Sample shipping

Blood should be sent according to the laboratory processing days and only by FedEx for 24hr delivery (max 48hr). Blood should be kept at room temperature.

Please ship the blood sample and this completed form to:

Prices

Vary according to laboratory

The metals in each testing panel have been chosen according to our experience with metals present in implants and other common environmental exposure. Please check with your healthcare professional to find the exact content of your fillings, crowns or implants. You also have the option of creating an individual testing panel based on your specific exposure, Updated 7.9.17

Testing panels

Circle a group of metals or chose individual metals

A. Amalgam fillings only

Copper, Inorganic mercury, Nickel, Silver, Tin

B. Amalgam replaced with gold or metal-bound porcelain

Copper, Gallium, Gold, Indium, Inorganic mercury, Iridium, Nickel, Palladium, Platinum, Silver

C. No amalgam fillings, or fillings replaced with a non-metallic material and environmental exposure

Aluminium, Cadmium, Copper, Inorganic mercury, Lead, Methylmercury, Nickel, Silver, Thimerosal, Titanium dioxide

D. Amalgam, gold and root-fillings

Aluminium, Beryllium, Cadmium, Chromium, Copper, Gold, Indium, Inorganic mercury, Iridium, Methyl mercury, Molybdenum, Nickel, Palladium, Phenyl mercury, Platinum, Silver, Thimerosal, Tin, Titanium dioxide, Zirconium

E. Titanium implant

Aluminium, Nickel, Titanium dioxide, Titanium sulphate, Vanadium

F. Individual metal tests

Circle the metals you wish to be tested (other metals available upon request)

- | | |
|----------------------------|-----------------------|
| 1. Aluminium (Al) | 19. Nickel (Ni) |
| 2. Antimony (Sb) | 20. Niobium (Nb) |
| 3. Beryllium (Be) | 21. Palladium (Pd) |
| 4. Cadmium (Cd) | 22. Phenyl mercury |
| 5. Calcium titanate | 23. Platinum (Pt) |
| 6. Chromium (Cr) | 24. Ruthenium (Ru) |
| 7. Cobalt (Co) | 25. Silver (Ag) |
| 8. Copper (Cu) | 26. Thimerosal |
| 9. Ethylmercury | 27. Tin (Sn) |
| 10. Gallium (Ga) | 28. Titanium dioxide |
| 11. Gold (Au) | 29. Titanium sulphate |
| 12. Indium (In) | 30. Tantalum (Ta) |
| 13. Inorganic mercury (Hg) | 31. Vanadium (V) |
| 14. Iridium (Ir) | 32. Zirconium (Zr)* |
| 15. Lead (Pb) | 33. Gluten * |
| 16. Manganese (Mn) | 34. Candida* |
| 17. Methylmercury | 35. Casein* |
| 18. Molybdenum (Mo) | |

G. Methacrylates*

- | | |
|--------------------------------------|---|
| 1. Methyl methacrylate (MMA) | 3. Triethyleneglycol dimethacrylate (TEGMA) |
| 2. Hydroxy ethyl methacrylate (HEMA) | 4. Ethylene glycol dimethacrylate (EGMA) |

** Antigens have been developed for research purposes. The clinical relevance of a positive result is not established.*